VAPING EPIDEMIC UPDATE

November, 2019

OUTLINE

- Epidemic Information
- National Vaping Trends
- Marketing to Youth
- Vaping Devices
- California Student Tobacco Survey
- Vaping Timeline
- Next Steps



EPIDEMIC INFORMATION

- E-Cigarette, or Vaping, product use associated lung injury (EVALI)¹
- Symptoms (days weeks after use):
 - Cough, shortness of breath, or chest pain
 - Nausea, vomiting, abdominal pain, or diarrhea
 - Fever, chills, or weight loss
- Devices contain:
 - Nicotine or Marijuana
 - THC is present in most of the device samples tested by FDA
 - Most THC devices were obtained off the street or informally (friends, family)



VITAMIN E ACETATE?



Updated November 8, 2019, at 1:00 PM EST


What is New

Recent CDC laboratory testing of bronchoalveolar lavage (BAL) fluid samples (or samples of fluid collected from the lungs) from 29 patients with EVALI submitted to CDC from 10 states found vitamin E acetate in **all** of the BAL fluid samples. Vitamin E acetate is used as an additive in the production of e-cigarette, or vaping, products. **This is the first time that we have detected a potential chemical of concern in biologic samples from patients with these lung injuries.**


CDC continues to recommend that people should not use e-cigarette, or vaping, products that contain THC, particularly from informal sources like friends, or family, or in-person or online dealers. We will continue to provide updates as more data become available.

NATIONAL TRENDS

Dates of symptom onset and hospital admission for patients with lung injury associated with e-cigarette use, or vaping — United States, March 31-November 2, 2019




• **39 deaths** in 24 states (3 in CA)



- Older data indicates:
 - More males impacted than females (70%)
 - Median age = 24 (range 13-75)
 - Majority cases <35 years


NATIONAL TRENDS

Number of Lung Injury Cases Reported to CDC as of November 5, 2019



MARKETING TO YOUTH

- "I'm the One" DJ Khaled, Justin Bieber, Quavo
- 3.6 billion views





MARKETING TO YOUTH CONT.



VAPING DEVICES







VAPING DEVICES CONT.

	Amount	Equivalent
1 pack cigarettes	20 cigarettes	1444
1 JUULpod	0.7 mL pod "5% nicotine by volume"	***
1 PHIXpod	1.5 mL pod "5% nicotine by volume"	
1 <u>Suorin</u> pod	2 mL pod "5.4% nicotine by volume	e"









CALIFORNIA STUDENT TOBACCO SURVEY – SIERRA COUNTY

- 2017-2018
- 110 students in 7th 12th grades
 - 30% reported <u>ever</u> using e-cigarettes
 - 10% reported <u>current use</u> of e-cigarettes
- 111 students
 - 46% believe that flavored tobacco products are targeted to people their age
 - 37% believe that flavored tobacco products should be banned
- 98 students
 - 56% thought it would be easy to get e-cigarettes

VAPING TIMELINE²

FDA banned flavors from cigarettes except menthol. This did **NOT** apply to E-Cigarettes.

2009

FDA classifies E-Cigarettes as a tobacco product.

2016

President Trump puts pressure on FDA to regulate vaping products.

September, 2019

2010

American Association of Public Health professionals ask FDA to classify E-Cigarettes as "Tobacco Products."

March, 2019

First case of EVALI reported.

May, 2020

All E-Cigarette devices that are "new" or have been on the market since August 2016 must submit their product to the FDA for scientific review.

NEXT STEPS

- Moratorium on Vaping Device Sales in Sierra County
 - 1. Presentation to School Board Before December 19
 - TUPE Coordinator
 - 2. Presentation to the BOS December 19
 - 3. Moratorium to BOS
 - 4. Policy to BOS

THANK YOU!







SOURCES

- 1. Centers for Disease Control and Prevention. (2019). Outbreak of Lung Injury Associated with the Use of E-Cigarette, or Vaping, Products. Retrieved from https://www.cdc.gov/tobacco/basic_information/e-cigarettes/severe-lung-disease.html
- 2. A Historical Timeline of Electronic Cigarettes. (n.d.). Retrieved from http://www.casaa.org/historical-timeline-of-electronic-cigarettes/